

Table of Contents

Wrap Around Hinges.....pg. 5-6

H-1: page 5
H-5: page 5
H-15: page 5
H-9: page 6
H-30: page 6
H-31: page 6

Inter-Panel Hinges.....pg. 7

#255: page 7
#82: page 7
#250: page 7

Butt Hinges..... pg. 8

15-A: page 8
#277: page 8
#275: page 8

Non-Mortise Hinges.....pg. 9-10

#33: page 9
#33 Fennel: page 9
#34: page 9
#555: page 10
#555 with slot: page 10
#999: page 10

Expanded Leaf Hinges.....pg. 11

#400: page 11
#410: page 11

Pins.....pg. 12-13

#101: page 12
#102: page 12
#103: page 12
#104: page 12
#106: page 13
Repair Pin: page 13

Plugs & Washers.....pg. 14-15

Hole Plugs: page 14
Wooden Hole Plugs: page 14
Locking Hole Plugs: page 14

Table of Contents

Plugs & Washers.....pg. 14-15

#111 Flanges: page 14
 Nylon Washers: page 15
 Shims: page 15
 Dowel Pins: page 15
 Nail Glides: page 15

Screws.....pg. 16-20

Flat Head & Pan Head: page 176

#4 x ½”
 #4 x 5/8”
 #5 x 5/8”
 #6 x 5/8”
 #6 x ¾”
 #6 x 1”

Hex Washer Head (Zinc Plated): page 17

H606	H808	H820
H608	H810	H824
H610	H812	H832
H612	H816	

Phillips Bugle Head (Zinc Plated): page 17

D610Z	D617Z	D1031Z
D611Z	D823Z	D1040Z
D614Z	D825Z	D1050Z
D615Z	D830Z	

Square Drive Trim Head (Zinc Plated): page 18

T1QZ	T2QZ	T3QZ
------	------	------

Square Drive Trim Head (Phosphate Coating): page 18

T0Q	T2Q
T1Q	T3Q

Phillip Bugle Head (Coarse Thread & Phosphate Coating): page 18

606C	615C	720C
610C	616C	722C
611C	620C	822C
614C	624C	830C
612C	712C	

Table of Contents

Screws.....pg. 16-20

Square Drive Trim Head (Sharp Point & Phosphate Coating): page 19

0QT	2QT
1QT	
3QT	

Phillips Bugle Head (Coarse Thread & Zinc Yellow): page 19

606CY	612CY	720CY
610CY	615CY	822CY
611CY	620CY	830CY
614CY	624CY	

Phillips Bugle Head (Coarse Thread & Dacrotized): page 19

610CD	624CD
614CD	822CD
615CD	830CD
620CD	

Phillips Flat Head w/Nibs Particle Board Screw (Type “17” & Zinc Plated): page 20

X816NZ	X826NZ	X940NZ
X820NZ	X828NZ	X948N
X824NZ	X832NX	

Catches and Knobs.....pg. 21

D1 – Receiver Catch with Leg: page 21

D2 – Receiver Catch No Leg: page 21

Button Catch: page#102: page 21

Sliding Tracks and Wheel Kits.....pg. 21

Sliding Track: page 21

Wheel Kit: page 21

Magnets.....pg. 22-23

MCB - #8: page 22

MCB - #13: page 22

MCB - #20: page 22

MCB - #045 (stainless steel) : page 22

MCB - #222: page 23




MCB - #25: page 23

MCB - #13-2: page 23


Table of Contents


Hidden Tilt Rods.....	pg. 24
Hidden Tilt Rod: page 24	
RB Hidden Tilt Rod: page 24	
Tilt Tod Nails: page 24	
Shutter Dogs & “S” Hooks.....	pg. 25-27
Shell: page 25	
Rat Tails: page 25	
Grapes: page 25	
Flower: page 25	
Large Scroll: page 26	
Scroll: page 26	
Steel “S” Hook: page 26	
Aluminum “S” Hook: page 27	
Shutter / Slide Bolt: page 27	
Strap Hinge: page 27	
Staples.....	pg. 28
Senco Galvanized: page 28	
Spot Nails: page 28	
BEA Staples: page 28	
Exterior Hardware.....	pg. 29-30
Bahama Hardware: page 29	
Shutter Hinge: page 29	
Stainless Steel Shutter Hinge: page 30	

Wrap Around Hinges

	<u>H-1</u> 1½" Wrap Around Hinge (100/box, 800/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Oil Rubbed Bronze • White / Shell White / Off-White
	<u>H-5</u> 2" Wrap Around Hinge (25/box, 250/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Oil Rubbed Bronze • White / Off-White
	<u>New H-15</u> 1½" Wrap Around Hinge with 5/8" Return (25/box, 250/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Oil Rubbed Bronze • White / Shell White / Off-White




Wrap Around Hinges

 Technical drawing of the H-9 hinge. It shows a 3D perspective view of the hinge with dimensions: 1" for the top flange width, 1" for the bottom flange width, 2 1/2" for the height, and 1 1/4" for the return. A side view shows the hinge pin and a detail of the hinge leaf.	<u>H-9</u> 2 1/2" Wrap Around Hinge with 1" Return (25/box, 250/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Pewter • Oil Rubbed Bronze • White / Off-White
--	--



 Technical drawing of the H-30 hinge. It shows a 3D perspective view of the hinge with dimensions: 1 1/8" for the top flange width, 1" for the bottom flange width, 3" for the height, and 2 1/2" OPEN for the opening. A side view shows the hinge pin and a detail of the hinge leaf.	<u>H-30</u> 3" Non-Mortise Wrap Around Hinge (25/box, 250/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Dark Pewter • Oil Rubbed Bronze • White / Off-White
--	---

 Photograph of the H-31 hinge, showing a 3" Non-Mortise Wrap Around Hinge in a light-colored finish.	<u>H-31</u> 3" Non-Mortise Wrap Around Hinge (25/box, 250/case) Available in: • Primed • White / Off-White / Bright White
--	---


Inter-Panel Hinges


	<u>#255</u> 2 ½" x 1 ½" Inter-Panel Hinge (50/box, 500/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Pewter • Oil Rubbed Bronze • White / Off-White • Antique Copper
	<u>#82</u> 2" x 1 ½" Inter-Panel Hinge (100/box, 800/case) Available in: • Brass • Nickel • Pewter • White / Off-White
	<u>#250</u> 2 ½" x 1 1/16" Inter-Panel Hinge (100/box, 500/case) Available in: • Ivory • Bright White


Butt Hinges

	<u>15-A</u> 1 $\frac{3}{4}$" x 1 $\frac{1}{2}$" Butt Hinge (100/box, 800/case) Available in: • Brass / Antique Brass • Nickel • Ivory • Oil Rubbed Bronze • White / Off-White
	<u>#277</u> 1 $\frac{1}{2}$" x 2 $\frac{1}{2}$" Butt Hinge (50/box, 500/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Oil Rubbed Bronze • White / Off-White • Bright White
	<u>#275</u> 2 $\frac{1}{2}$" x 2 $\frac{1}{2}$" Butt Hinge (100/box, 600/case) Available in: • Brass • Nickel • Pewter


Non-Mortise Hinges

	<u>#33</u> 3 ½" Non-Mortise Flag Hinge (50/box, 400/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Light Pewter / Dark Pewter • Oil Rubbed Bronze • White / Off-White
---	--


	<u>#33 Fennel</u> 3 ½" Non-Mortise Flag Hinge with Fennel (50/box, 300/case) Available in: • Brass / Antique Brass • Nickel • Ivory • Light Pewter / Dark Pewter • Oil Rubbed Bronze • White / Off-White
--	--

	<u>#34</u> 2" Non-Mortise Hinge Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Oil Rubbed Bronze • White / Off-White
---	---


Non-Mortise Hinges


	<u>#555</u> 3" x 2 1/8" Non-Mortise Hinge (50/box, 400/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Dark Pewter • Oil Rubbed Bronze • White / Off-White / Bright White
---	---

	<u>#555 with Slot</u> 3" x 2 1/8" Non-Mortise Hinge (50/box, 400/case) Available in: • Brass / Antique Brass • Nickel / Satin Nickel • Ivory • Dark Pewter • Oil Rubbed Bronze • White / Off-White / Bright White
--	---


	<u>#999</u> 3" Non-Mortise Hinge with Center Hole Slotted (50/box, 400/case) Available in: • Brass / Antique Brass • Oil Rubbed Bronze • White / Off-White • Bright White
---	---

Expanded Leaf Hinges


	#400 2" x 3" Expanded Leaf Hinge (100/box, 500/case) Available in: • Ivory • Bright White
---	---

	#410 2" x 3" Expanded Leaf Hinge (100/box, 500/case) Available in: • Ivory • Bright White
--	---


Pins




#101
The Standard



#102
Short pin
use when shallow hole is needed




#103
Collarless pin




#104
For use with poly rear louver
control

Pins



#106
Tension Pin



Repair Pin
Louver Pin Repair Kit

Plugs & Washers




Hole Plugs

White / Almond / Brown




Wooden Hole Plugs

Maple Wood



Locking Hole Plugs


White / Brown



#111 Flanges

White

Plugs & Washers




Nylon Washers
3/8"



Shims



Dowel Pins
Multi-Groove & Pre-glued
1/4" x 1 1/2"
1/4" x 2"
3/8" x 2"




Nail Glide


Screws

Phillips Head Type #17 Course Thread. Flat Head (Pan Head in some sizes)
(1,000 per box; 20,000 per case)

Flat Head - FH



Pan Head - PH



Size Options:

- #4 x 1/2" #6 x 5/8"
- #4 x 5/8" #6 x 3/4"
- #5 x 5/8" #6 x 1"

#4 screws available in polished brass, white and off-white

#5 x 5/8" available in antique, nickel, off-white, oil rubbed brass, polished brass, and white

#6 x 1" available in polished brass, nickel, white and oil rubbed bronze only

Colors:

- Polished brass
- Antique brass
- Nickel plate
- Light perter
- Dark pewter
- White
- Off-white
- Bright white
- Black
- Oil rubbed
- Stainless

Screws

—STRONG-POINT—
Self-Drilling™

STRONG-POINT®
Get the Point. Strong-Point.

Unslotted Indented Hex Washer Head, Zinc Plated



- ICC-ES Evaluation Report: ESR-3528
- Meets ASTM C 1513 for cold-formed steel framing connections
- Meets F.I.P.-1000.7 for torsional strength & drill speed
- Meets SAE J78 for performance & dimensional specifications
- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM F1941 for corrosion resistance

Material Application
Attaches metal to metal.



Size	Pt	Bulk Part No	Bulk Qty	Lbs*	Drill Cap (in.)	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6-20 x 3/8	2	H606	20M	40	.035 - .090	H606V	2,500	H606I	500
6-20 x 1/2	2	H608	15M	35	.035 - .090	H608V	2,000	H608I	400
6-20 x 5/8	2	H610	15M	39	.035 - .090	H610V	1,875	H610I	375
6-20 x 3/4	2	H612	10M	31	.035 - .090	H612V	1,600	H612I	300
8-18 x 1/2	2	H808	10M	35	.035 - .100	H808V	1,500	H808I	300
8-18 x 5/8	2	H810	10M	40	.035 - .100	H810V	1,250	H810I	250
8-18 x 3/4	2	H812	10M	45	.035 - .100	H812V	1,000	H812I	200
8-18 x 1	2	H816	8M	44	.035 - .100	H816V	1,000	H816I	200
8-18 x 1-1/4	2	H820	5M	33	.035 - .100	H820V	750	H820I	125
8-18 x 1-1/2	2	H824	5M	38	.035 - .100	H824V	700	H824I	125
8-18 x 2	2	H832	3M	29	.035 - .100	H832V	500	H832I	100

—STRONG-POINT—
Self-Drilling™

STRONG-POINT®
Get the Point. Strong-Point.

Phillips Bugle Head, Zinc Plated



- ICC-ES Evaluation Report: ESR-3528
- Meets ASTM C 1513 for cold-formed steel framing connections
- Meets F.I.P.-1000.7 for torsional strength & drill speed
- Meets SAE J78 for performance & dimensional specifications
- Meets ASTM C 954 for attaching gypsum board to steel studs



Material Application
Attaches gypsum, insulation, wood to metal.

Size	Pt	Bulk Part No	Bulk Qty	Lbs*	Drill Cap (in.)	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6-20 x 1	2	D610Z	10M	33	.035 - .090	D610ZV	1,500	D610ZI	300
6-20 x 1-1/8	2	D611Z	10M	36	.035 - .090	D611ZV	1,400	D611ZI	250
6-20 x 1-1/4	2	D614Z	8M	32	.035 - .090	D614ZV	1,200	D614ZI	250
6-20 x 1-5/8	2	D615Z	5M	25	.035 - .090	D615ZV	1,000	D615ZI	200
6-20 x 1-7/8	2	D617Z	4M	23	.035 - .090	D617ZV	700	D617ZI	160
8-18 x 2-3/8	2	D823Z	2.5M	24	.035 - .100	D823ZV	400	D823ZI	100
8-18 x 2-5/8	2	D825Z	2M	22	.035 - .100	D825ZV	400	D825ZI	100
8-18 x 3	2	D830Z	2M	24	.035 - .100	D830ZV	300	D830ZI	80
10-16 x 3-1/2	2	D1031Z	1M	17	.035 - .110	D1031ZV	250	D1031ZI	50
10-16 x 4	2	D1040Z	1M	20	.035 - .110	D1040ZV	250	D1040ZI	50

Screws

Square Drive Trim Head, Zinc Plated

Material Application

Attaches wood to metal.



- Meets F.I.P.-1000.7 for torsional strength & drill speed
- Meets SAE J78 for performance & dimensional specifications
- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM F1941 for corrosion resistance

Size	Pt	Bulk Part No	Bulk Qty	Lbs*	Drill Cap (in.)	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6-20 x 1-5/8	2	T1QZ	5M	23	.035 - .090	T1QZV	1,200	T1QZI	250
6-20 x 2-1/4	2	T2QZ	3M	19	.035 - .090	T2QZV	700	T2QZI	150
6-20 x 2-1/4**	2	T2QZF	3M	19	.035 - .090	T2QZFV	700	T2QZFI	150
8-18 x 3	2	T3QZ	2M	22	.035 - .100	T3QZV	500	T3QZI	100

**Full Thread

Square Drive Trim Head, Phosphate Coating

Material Application

Attaches wood to metal.



- Meets F.I.P.-1000.7 for torsional strength & drill speed
- Meets SAE J78 for performance & dimensional specifications
- Meets ASTM A 510 for carbon steel manufacturing

Size	Pt	Bulk Part No	Bulk Qty	Lbs*	Drill Cap (in.)	5lb Part No	5lb Qty	1lb Part No	1lb Qty
7-19 x 1	2	T0Q	10M	31	.035 - .090	T0QV	1,500	T0QI	300
6-20 x 1-5/8	2	T1Q	5M	23	.035 - .090	T1QV	1,200	T1QI	250
6-20 x 2-1/4	2	T2Q	3M	19	.035 - .090	T2QV	700	T2QI	150
8-18 x 3	2	T3Q	2M	22	.035 - .100	T3QV	500	T3QI	100



Phillips Bugle Head, Coarse Thread, Phosphate Coating

Material Application

Attaches gypsum board to wood studs.



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for attaching gypsum board to wood studs

Size	Bulk Part No	Bulk Qty	Lbs*	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6 x 3/4	606C	15M	38	606CV	2,000	606CI	400
6 x 1	610C	10M	30	610CV	1,500	610CI	300
6 x 1-1/8	611C	10M	33	611CV	1,500	611CI	300
6 x 1-1/4	614C	8M	29	614CV	1,300	614CI	250
6 x 1-1/2	612C	6M	23	612CV	1,000	612CI	200
6 x 1-5/8	615C	5M	22	615CV	1,000	615CI	200
6 x 1-3/4	616C	4M	20	616CV	800	616CI	160
6 x 2	620C	3.5M	19	620CV	700	620CI	175
6 x 2-1/4	624C	3M	18	624CV	500	624CI	125
7 x 1-1/2	712C	6M	33	N/A	N/A	N/A	N/A
7 x 2	720C	3.5M	21	720CV	700	720CI	175
7 x 2-1/2	722C	2.5M	20	722CV	500	722CI	125
8 x 1-1/4	814C	8M	39	814CV	1,000	814CI	200
8 x 1-1/2	812C	6M	32	812CV	1,000	812CI	200
8 x 2	820C	3.5M	25	820CV	700	820CI	140
8 x 2-1/2	822C	2.5M	22	822CV	400	822CI	100
8 x 3	830C	2M	21	830CV	400	830CI	100

NEW PRODUCTS!

Screws

Square Drive Trim Head, Sharp Point, Phosphate Coating



- Meets ASTM A 548 for carbon steel manufacturing
- Used in wood finishing applications

Material Application

Attaches wood trim to drywall or studs.

Size	Bulk Part No	Bulk Qty	Lbs*	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6 x 1	0QT	10M	26	0QTV	1,600	0QTI	400
6 x 1-5/8	1QT	5M	20	1QTV	1,200	1QTI	250
6 x 2-1/4	2QT	3M	17	2QTV	750	2QTI	150
8 x 3	3QT	2M	20	3QTV	500	3QTI	100



Phillips Bugle Head, Coarse Thread, Zinc Yellow



- Meets ASTM A 510 for carbon steel manufacturing
- 24/hr. salt spray resistance

Material Application

Exterior wood screw for outdoor applications. Attaches wood to wood.

Size	Bulk Part No	Bulk Qty	Lbs*	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6 x 3/4	606CY	15M	37	606CYV	2,000	606CYI	400
6 x 1	610CY	10M	30	610CYV	1,500	610CYI	300

Phillips Bugle Head, Coarse Thread, Dacrotized®



- Exterior wood screw used in fencing, decks, patios
- Exceeds 500/hr. salt spray resistance

Material Application

Exterior wood screw for outdoor applications. Attaches wood to wood.

Size	Bulk Part No	Bulk Qty	Lbs*	5lb Part No	5lb Qty	1lb Part No	1lb Qty
6 x 1	610CD	10M	30	610CDV	1,500	610CDI	300
6 x 1-1/4	614CD	8M	29	614CDV	1,300	614CDI	250
6 x 1-5/8	615CD	5M	23	615CDV	1,000	615CDI	200
6 x 2	620CD	3.5M	20	620CDV	700	620CDI	175
6 x 2-1/4	624CD	3M	20	624CDV	500	624CDI	125
8 x 2-1/2	822CD	2.5M	22	822CDV	400	822CDI	100
8 x 3	830CD	2M	21	830CDV	400	830CDI	100

Screws

Phillips Flat Head w/Nibs Particle Board Screw, Type '17', Zinc Plated





- Asymmetrical thread pattern
- Type '17' reduces wood splitting
- Superior holding power
- Counter sinking nibs for a flush finish

Material Application

Wood screw for interior wood applications.

Size	Bulk Part No	Bulk Qty	Lbs*	5lb Part No	5lb Qty	1lb Part No	1lb Qty
8 x 1	X816NZ	10M	40	X816NZV	1,250	X816NZI	250
8 x 1-1/4	X820NZ	8M	38	X820NZV	1,000	X820NZI	200
8 x 1-1/2	X824NZ	6M	33	X824NZV	850	X824NZI	150
8 x 1-5/8	X826NZ	5M	30	X826NZV	825	X826NZI	125
8 x 1-3/4	X828NZ	4M	26	X828NZV	800	X828NZI	125
8 x 2	X832NZ	3.5M	25	X832NZV	700	X832NZI	125
9 x 2-1/2	X940NZ	2.5M	24	X940NZV	500	X940NZI	100
9 x 3	X948NZ	2M	23	X948NZV	400	X948NZI	100


Catches and Knobs


	<u>D1 – Receiver Catch</u> With Leg 1" Long x 5/8" Wide , 5/8 High With Button Brass / Nickel
	<u>D2 – Receiver Catch</u> No Leg 5/8" Long x 5/8" Wide , 3/4" High With Button Brass / Nickel
 Side  Top	<u>Button Catch</u> (500 per pack) Brass / Nickel


Sliding Tracks and Wheel Kits

	<u>Sliding Track</u> Aluminum Up to 8' Long
	<u>Wheel Kit</u> Kit with wheels, screws and accessories

Magnets

	<u>MCB - #8</u> (100 per box, 500 per case) Includes: 1 one-hole strike plate / 2 pan head screws / 1 flat head screw Options: White / polished brass (Bulk) White / Nickel (Pack)
---	---

	<u>MCB - #13</u> (100 per box, 500 per case) Includes: 1 one-hole strike plate / 2 pan head screws / 1 flat head screw Options: White / polished brass (Pack or Bulk) White / Nickel (Pack or Bulk) White / White (Pack or Bulk) Brown / Bronze (Pack or Bulk)
--	---

	<u>MCB - #20</u> (100 per box, 500 per case) Includes: 1 one-hole strike plate / 2 pan head screws / 1 flat head screw Options: White / polished brass (Pack or Bulk) White / Nickel (Pack or Bulk)
---	--

	<u>MCB - #045</u> (200 per box, 400 per case) Includes: 1 two-hole strike plate with screws Available in Stainless Steel (Bulk Packaging)
---	--

Magnets



MCB - #222

(100 per box, 500 per case)


Includes: 1 two-hole strike plate / 3
pan head screws / 2 flat head screw

Options:

White / polished brass (Pack or Bulk)

White / Nickel (Pack or Bulk)

Brown / Bronze (Pack or Bulk)



MCB - #25

(100 per box, 500 per case)

Includes: 1 two-hole strike plate / 2
pan head screws / 1 flat head screw


Options:

White / polished brass (Pack or Bulk)

White / Nickel (Pack or Bulk)

White / White (Pack or Bulk)

Brown / Bronze (Pack or Bulk)



MCB - #13-2

(100 per box, 300 per case)

Includes: 2 two-hole strike plate / 2
pan head screws / 2 flat head screw

Options:

White / polished brass (Pack or Bulk)

White / Nickel (Pack or Bulk)


White / White (Pack or Bulk)

Brown / Bronze (Pack or Bulk)

Hidden Tilt Rods

	<u>Hidden Tilt Rod</u> (2nd rod from left) White / Brown 84" long Options: 2" 3" 4"
---	---


	<u>RB Hidden Tilt Rod</u> (4th rod from left) White / Brown 84" long Options: 2" 3" 4"
--	---

	<u>Tilt Rod Nails</u> Nail is Made of Stainless Nail shank length: 7/8" Available in: Natural / Dark Brown
---	--

	<u>Tilt Rod Flange</u> Available in: Natural
---	--

Shutter Dogs and “S” Hooks

Shutter Dogs



Shell

Black Powdered Coated with Leg Bolt
Available:
Cast iron

Rat Tail

Black Powdered Coated with Leg Bolt
Available:
Cast iron


Grapes

Black Powdered Coated with Leg Bolt
Available:
Cast iron

Flower

Black Powdered Coated with Leg Bolt
Available:
Cast iron

Shutter Dogs and “S” Hooks



Large Scroll

Black Powdered Coated with Leg Bolt
Available:
Cast iron

Scroll

Black Powdered Coated with Leg Bolt
Available:
Cast iron



Steel “S” Hook

7" Black Powdered Coated
Includes Galvanized Bolt
Available:
Smooth Finish / Textured Finish

Shutter Dogs and “S” Hooks




Aluminum “S” Hook

7” Black Powder Coated
Includes Galvanized Bolt
Available:
Smooth Finish



Shutter / Slide Bolt

Cast Iron, Black Primer Coat
Available:
6” Slide Bolt
8” Slide Bolt
12” Slide Bolt



Strap Hinge

Black Power Coat
with 1 3/8” offset
Available:
16 3/4”
13”
9 1/4”

Staples



Senco Galvanized

1/4" Crown

Available Length:

5/8"

3/4"

7/8"

1"



Spot Nails

1/4" Crown

Available Length:

5/8"

3/4"



BEA Staples

1/4" Crown


Available Length:

5/8"

1"

More Sizes upon request

Exterior Hardware

 	<u>Bahama Hardware</u> Black Anodized Aluminum All Black Options: Header Lock in ring Feet & Pin (Camel bracket) Sold as Individual & set Headers cut to length 
---	--

	<u>Shutter Hinge</u> (2 pair per box, 48 pair per case) Black Power Coated with Stainless Steel Screws Size options: (Siding) 1/2" Low Profile Off-set (Siding) 1-1/16" Off-set (Brick) 2-1/8" Off-set (Stone) 4-1/8" Offset
---	---

Exterior Hardware



Stainless Steel Shutter Hinge

(2 pair per box, 48 pair per case)
Black Power Coated with Stainless
Steel Screws

Size options:
(Siding) 1/2" Low Profile Off-set
(Siding) 1-1/16" Off-set
(Brick) 2-1/8" Off-set
(Stone) 4-1/8" Offset

1/2" offset with 1 1/2" Pintel